

DUKERS DHBC50



Brand: DUKERS
Product Code: DUKERS DHBC50
Availability: In Stock
Weight: 206.00lb
Dimensions: 50.00in x 28.00in x 41.00in

Price: \$1,712.00

Short Description

50" Bottle Cooler

Description

The Dukers DHBC50 is a spacious 50" bottle cooler designed to efficiently chill beverages in various settings. With an ample 11.5 cu. ft. capacity and lockable sliding stainless steel lids, it provides secure storage while maximizing accessibility. Its self-contained refrigeration system, along with a mechanical controller and ventilated cooling system, ensures precise temperature regulation between 33°F to 41°F, keeping beverages consistently cold. Featuring a standard bottle opener and cap catcher for added convenience, it also includes automatic defrosting and a durable stainless steel exterior and interior for easy maintenance. Utilizing environmentally friendly R290 Hydrocarbon refrigerant and powered by a 1/5 HP motor, this cooler combines energy efficiency with reliable performance. With cETLus and ETL-Sanitation certifications, it meets safety and sanitation standards, making it an excellent choice for any beverage service establishment.

- Horizontal chest
- 49-5/8"W * 28-5/8"D * 37-5/8"H, 11.5 cu. ft. (326 liters) capacity
- Lockable sliding stainless steel lids
- Self-contained refrigeration
- Mechanical controller
- Ventilated cooling system
- Standard bottle opener & cap catcher

- Automatic defrosting
- Temperature range 33°-41° F (0.5-5° C)
- Stainless steel exterior & interior
- R290 Hydrocarbon refrigerant
- 1/5 HP, 110v/60/1-ph
- 2 amps, cord
- NEMA 5-15P
- cETLus
- ETL-Sanitation

Specifications

[DHBC_Spec_Sheet.pdf](#)

Warranty

3 Years Parts and Labor

5 Years Compressor

[Dukers_Stainless_Refrigeration_3_yr_Warranty.pdf](#)

Shipping / Pick up

Please Call for a Quote!

Warning CA Residents

WARNING: This product can expose you to chemicals including Nickel and Lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.

Product Gallery

