

## DUKERS DCB48-D2



**Brand:** DUKERS

**Product Code:** DUKERS DCB48-D2

**Availability:** In Stock

**Weight:** 0.00lb

**Dimensions:** 48.13in x 32.25in x 26.63in

**Price:** \$2,325.00

### Short Description

48" Chef Base Refrigerator with 2 Drawers

### Description

The Dukers DCB48-D2 Chef Base Refrigerator with 2 Drawers is a robust refrigeration solution tailored for commercial kitchen environments. With two drawers and dimensions of 48" x 32 1/4" x 26 5/8", it offers ample storage space while seamlessly integrating into kitchen layouts. Its temperature range of 33~38°F, automatic defrost, and digital temperature control ensure precise temperature management for optimal food preservation. Constructed with stainless steel interior and exterior, along with rounded corners for easy cleaning and sanitation compliance, it prioritizes durability and hygiene. Featuring foamed-in-place insulation for structural strength and heavy-duty 4" casters with brakes for convenient mobility, cleaning, and servicing, it provides both functionality and convenience. Ergonomic recess door handles and removable drawer gaskets further enhance ease of use and maintenance. Backed by a warranty for commercial use, this chef base refrigerator is a reliable choice for commercial kitchens seeking performance and longevity.

### Product Features

- Digital temperature control features a digital display to make monitoring interior temperatures a breeze. This unit also comes with an auto-defrost function
- Foamed-in-place insulation keeps the interior cold and adds structural strength
- Optional raised corner guards designed to prevent cookware equipment from

sliding off the edges of the surface.

- Stainless steel interior with rounded corners for easy cleaning. Meets and exceeds sanitation standards.
- Durable and high weight bearing rails for drawers.
- Heavy-duty 4" casters with brakes are included providing the unit with convenient mobility, making cleaning and servicing a breeze! Just roll the unit away from the wall.
- Ergonomic and modern recess door handles.
- Removable Drawer Gaskets, each drawer gasket is removable for easy cleaning and maintenance.
- Warranty for commercial use only. No warranty for residential use.

## **Technical Specifications**

- Refrigerated chef base
- Commercial use only
- Two (2) drawers
- Dimensions (W x D x H): 48" x 32 1/4" x 26 5/8"
- Temperature range: 33~38°F
- Four (4) casters (4")
- Stainless Steel interior and exterior
- Voltage/Frequency: 115V/60HZ
- Refrigerant: R290/1.76oz
- Type of Defrost: Automatic
- Internal Material: 304/201 Stainless Steel
- External Material: 304/201 Stainless Steel
- Total Current: 1.7A
- Climatic Category: 4/5
- Refrigerant: R290/1.76oz
- NEMA Config: NEMA 5-15P

## **Specifications**

[DCB48.pdf](#)

## **Shipping / Pick Up**

Free Shipping On Certain Orders! Call Now For a Quote!

## **Warranty**

3 Years Parts and Labor Warranty

## 5 Years Compressor Warranty

[Dukers Stainless Refrigeration 3\\_yr\\_Warranty.pdf](#)

### Product Gallery

**DETAILS & SPECIFICATIONS**

**CHEF BASE**

**MODEL DCB48**

Rated Voltage	115V
Rated Frequency	60Hz
Rated Capacity	480lb
Rated Current	1.1A
Climate Category	HT
Refrigerant	R600a
Design Pressure (psi)	320/250
Design Temperature (°F)	10/10
Insulation Thickness (in)	1.5
Net Weight	140 lbs
Net Capacity	480/240 - 1/2
Temperature Range	34°F to 0°F
Humidity/Frost	100/100
CE Marking	Yes
Dimensions (H x W x D)	33 1/2 x 24 1/2 x 24 1/2
Net Weight	140 lbs

**SELF PANS**

1/2	1/2	1/2	1/2
1/2	1/2	1/2	1/2

**FULL PANS**

1/2	1/2	1/2	1/2
1/2	1/2	1/2	1/2

**SIXTH PANS**

1/2	1/2	1/2	1/2	1/2	1/2
1/2	1/2	1/2	1/2	1/2	1/2
1/2	1/2	1/2	1/2	1/2	1/2
1/2	1/2	1/2	1/2	1/2	1/2

**Logos:** Refrigeration, CFEPA, AutoQuotes, and others.

**DUKERS**  
Los Angeles | San Francisco | Dallas  
Houston | Phoenix | Chicago | New Jersey

**1-800-837-8634**  
info@dukersusa.com  
www.dukersusa.com

**DUKERS**  
Quality Commercial Refrigeration

**CHEF BASE**  
MODEL DCB48

**PRODUCT FEATURES**

- 1. Digital temperature control features a digital display to make monitoring easier to read and more accurate. The unit also comes with an auto-defrost feature.
- 2. Designed to make installation easier, the interior and exterior are made of stainless steel.
- 3. Stainless steel interior with rounded corners for easy cleaning, and a smooth exterior for easy cleaning.
- 4. Sturdy and high-weight bearing, with four casters.
- 5. Heavy-duty 1/2" casters with brakes are included, providing the unit with commercial stability, making moving and positioning effortless. Just set the unit down from the top.
- 6. Ergonomic and modern stainless steel handles.
- 7. Removable interior shelves, with three shelves to maximize the space for storing and organizing.

**TECHNICAL SPECIFICATIONS**

Refrigerant	R600a
Rated Voltage	115V
Rated Frequency	60Hz
Rated Capacity	480lb
Rated Current	1.1A
Climate Category	HT
Refrigerant	R600a

**HIGH QUALITY STAINLESS STEEL & ROBUST DESIGN**

**Logos:** Refrigeration, CFEPA, AutoQuotes, and others.

**DUKERS**  
Los Angeles | San Francisco | Dallas  
Houston | Phoenix | Chicago | New Jersey

**1-800-837-8634**  
info@dukersusa.com  
www.dukersusa.com