

## DUKERS DCB52-D2



**Brand:** DUKERS

**Product Code:** DCB52-D2

**Availability:** In Stock

**Weight:** 0.00lb

**Dimensions:** 52.50in x 32.25in x 26.63in

**Price:** \$2,241.00

### Short Description

52" Chef Base Refrigerator with 2 Drawers

### Description

The Dukers DCB52-D2 Chef Base Refrigerator with 2 Drawers is a purpose-built refrigeration solution tailored exclusively for commercial kitchen environments. Featuring two drawers and measuring 52 1/2" x 32 1/4" x 26 5/8" in dimensions, it offers ample storage space while seamlessly integrating into kitchen layouts. With a temperature range of 33~38°F and automatic defrost, it ensures precise temperature control for optimal food preservation. Constructed with stainless steel interior and exterior, along with rounded corners for easy cleaning and sanitation compliance, it prioritizes durability and hygiene. Equipped with digital temperature control and foamed-in-place insulation for added structural strength, it offers both functionality and reliability. The heavy-duty 4" casters with brakes provide convenient mobility for cleaning and servicing. Featuring ergonomic recess door handles and removable drawer gaskets, it enhances ease of use and maintenance. Supported by a warranty for commercial use, this chef base refrigerator is a dependable choice for commercial kitchens seeking performance and longevity.

### Product Features

- Digital temperature control features a digital display to make monitoring interior temperatures a breeze. This unit also comes with an auto-defrost function
- Foamed-in-place insulation keeps the interior cold and adds structural strength

- Optional raised corner guards designed to prevent cookware equipment from sliding off the edges of the surface.
- Stainless steel interior with rounded corner for easy cleaning. Meets and exceed sanitation standards.
- Durable and high weight bearing rails for drawers.
- Heavy-duty 4" casters with brakes are included providing the unit with convenient mobility, making cleaning and servicing a breeze! Just roll the unit away from the wall.
- Ergonomic and modern recess door handles.
- Removable Drawer Gaskets, each drawer gasket is removable for easy cleaning and maintenance.
- Warranty for commercial use only. No warranty for residential use.

## **Technical Specifications**

- Refrigerated chef base
- Commercial use only
- Two (2) drawers
- Dimensions (W x D x H): 52 1/2" x 32 1/4" x 26 5/8"
- Temperature range: 33~38°F
- Four (4) casters (4")
- Stainless Steel interior and exterior
- Voltage/Frequency: 115V/60HZ
- Refrigerant: R290/2.29oz
- Type of Defrost: Automatic
- Internal Material: 304/201 Stainless Steel
- External Material: 304/201 Stainless Steel
- Total Current: 2.08A
- Climatic Category: 4/5
- Refrigerant: R290/1.76oz
- NEMA Config: NEMA 5-15P

## **Specifications**

[DCB52.pdf](#)

## **Shipping / Pick Up**

Free Shipping On Certain Orders! Call Now For a Quote!

## **Warranty**

3 Years Parts and Labor Warranty

5 Years Compressor Warranty

[Dukers Stainless Refrigeration 3\\_yr\\_Warranty.pdf](#)

## Product Gallery

### DETAILS & SPECIFICATIONS

#### CHEF BASE

**MODEL INFO**

Model Number	123
Model Description	1234
Year of Production	2023
Total Capacity	1,000
Climate Category	A-1
Refrigerant	R-600a
Design Pressure High Side	304 PSI
Design Pressure Low Side	104 PSI
Refrigerant Charge (lb)	2.0
Refrigerant Charge (kg)	0.9
Net Weight	300 lbs
Net Capacity	950 lbs
Temperature Range	0°F to 40°F
Heating Power	3.0 kW
40°F Condenser Coil Voltage	208V-230V
40°F Condenser Coil Amps	15

**PULL PANS**

1/2	1/2	1/2
1/2	1/2	1/2

**SLIP PANS**

1/2	1/2	1/2	1/2	1/2	1/2
1/2	1/2	1/2	1/2	1/2	1/2

**SIXTH PANS**

1/2	1/2	1/2	1/2	1/2	1/2
1/2	1/2	1/2	1/2	1/2	1/2

**Logos:** Emerson, Copeland, Auto-Quest, etc.

**DUKERS**  
Los Angeles | San Francisco | Dallas  
Houston | Florida | Chicago | New Jersey

1-800-821-8032  
info@dukersusa.com  
www.dukersusa.com

### CHEF BASE MODEL 1234

#### PRODUCT FEATURES

- 1. Digital temperature control features a digital display to make monitoring precise temperature easy & simple. They are also removable or user-definable features.
- 2. Flavored in place isolation keeps the interior cool and adds structural strength.
- 3. Stainless steel interior with stainless steel for easy cleaning. Alert and control indicator windows.
- 4. Durable and high-weight bearing casters for smooth operation.
- 5. Heavy-duty casters with brakes are included providing the unit with convenient mobility. Heavy-duty casters are standard on all units and are easy to use.
- 6. Ergonomic and modern stainless steel handles.
- 7. Removable interior shelves with 100% plastic panels to minimize the need for cleaning and maintenance.

#### TECHNICAL SPECIFICATIONS

Refrigerant	R-600a
Design Pressure High Side	304 PSI
Design Pressure Low Side	104 PSI
Refrigerant Charge (lb)	2.0
Refrigerant Charge (kg)	0.9
Net Weight	300 lbs
Net Capacity	950 lbs
Temperature Range	0°F to 40°F
Heating Power	3.0 kW
40°F Condenser Coil Voltage	208V-230V
40°F Condenser Coil Amps	15

#### HIGH QUALITY STAINLESS STEEL & ROBUST DESIGN

**DUKERS**  
Los Angeles | San Francisco | Dallas  
Houston | Florida | Chicago | New Jersey

1-800-821-8032  
info@dukersusa.com  
www.dukersusa.com