

DUKERS D55F-GS2

Brand: DUKERS
Product Code: D55F-GS2
Availability: In Stock
Weight: 463.00lb
Dimensions: 55.13in x 32.63in x 80.38in

Price: \$4,133.00

Short Description

55" - 2- Door Commercial Bottom Mount Glass Door Freezer in Stainless Steel

Description

The **Dukers D55F-GS2** reach-in commercial freezer is designed to suit the needs of any business who needs optimal performance without sacrificing design. Its' two tempered glass doors are accented with high-quality brushed stainless steel for both the interior and exterior to fit a variety of decors. Recessed door handles allow for clean styling and better ergonomics. The heavy-duty compressor is bottom mounted for excellent efficiency and cooling. Digital controls fine-tune the desired interior temperature. Self-closing doors free up your hands for added convenience and ease of use. Auto-defrosting provides lower energy costs and colder temperatures. The included 8 shelves can be adjusted or removed for flexibility and maintenance. Easily move and position with four swivel casters.

Technical Specifications

- reach-in freezer
- two-section
- 40.7 cu. ft. capacity
- temperature range from 0 to -8°F
- bottom mounted self-contained refrigeration and compressor
- (2) hinged glass doors, tempered glass, UV blocking
- (8) epoxy coated wire shelves
- digital controls with LED display
- auto defrost

- LED interior lighting
- stainless steel interior, stainless steel sides
- (4) adjustable front locking casters
- R290 natural refrigerant
- dimensions (W x D x H): 55 1/8" x 32 5/8" x 80 3/8"
- 2 1/2 HP, 115V/60Hz, 5.3 Amps, 1065 watts, 9 ft. power cord, NEMA 5-15P, NSF, cETLus, ETL-Listed, ETL Sanitation
- 3 Year Parts & Labor Warranty, 5 Year Compressor Warranty

Specifications



REACH IN FREEZER

D55F-GS2

Bottom Mounted / 2 Glass Door













TECHNICAL SPECIFICATIONS

Voltage/Frequency	115V/60Hz
Refrigerant	R290
Type of Defrost	Automatic
Interior Material	Stainless Steel
Exterior Material	Stainless Steel
Temperature Range °F	0 ~ -8°F
Compressor Power (HP)	1-
Nema Config.	NEMA5-15P



PRODUCT FEATURES

-  The compressor is mounted in the bottom for better heat evaporation.
-  Digital temperature controls with LED display for precise adjustment and automatic defrosting system.
-  Temperatures in the cabinet range from 0 to -8° degrees Fahrenheit
-  Hinged glass doors, tempered glass, UV blocking.
-  R290 Natural Refrigerant promotes faster cool down and efficient energy consumption.
-  Epoxy coated wire shelves.
-  Stainless steel interior & exterior, sealed interior floors, and rounded cabinet corners for easy cleaning.
-  High quality coated stainless adjustable shelves prevent peel and rust.
-  Lifetime warranty on hinges.
-  Adjustable front locking casters.



HIGH QUALITY STAINLESS STEEL & ROBUST DESIGN



Los Angeles | San Francisco | Dallas
Houston | Florida | Chicago | New Jersey

 1-800-931-8628

 info@dukersusa.com


www.DukersUSA.com

x000D

DETAILS & SPECIFICATIONS

D55F-GS2

Front View



Side View



MODEL D55F-GS2

Rated Voltage	115V
Rated Frequency	60Hz
Total Input Power	1065W
Total Current	5.3A
Energy Consumption	14.7kW.h/24h
Total Capacity	40.74 cu ft
Climatic Category	4-5
Protection Type	I
Design Pressure High Side	300 PSIG
Design Pressure Low Side	150 PSIG
Insulation Blowing Gas	C-Pentane
Refrigerant	R290/8.82oz

MODEL	EXTERNAL DIMENSION WXDXH (INCHES)	PACKAGING DIMENSION WXDXH (INCHES)	PRODUCT NET WEIGHT	# OF SHELVES	40HQ CONTAINER CERT.
D55F-GS2	55 1/8 x 34 x 80 3/8	57 1/8 x 36 x 82 3/8	506 lbs	8	21



AutoQuotes



DUKERS
Los Angeles | San Francisco | Dallas
Houston | Florida | Chicago | New Jersey

1-800-931-8628
info@dukersusa.com
www.DukersUSA.com

Warranty
3 Years Parts and Labor;

x000D

5 Years Compressor

x000D

[Click Here for the Warranty](#)

x000D

Shipping / Pick up

Free Shipping On Certain Orders! Call Now for a Quote!

Warning CA Residents

WARNING: This product can expose you to chemicals including Nickel and Lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.

Product Gallery